

Page: 1/5

Printing date: 10.11.2015 Version number 2 Revision: 10.11.2015

1 Identification of the substance/mixture and of the company/ undertaking

- Product identifier
 - Trade name: Castadur-50 / AlZn5Mg
 - Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
 - Application of the substance / the mixture Alloy
- · Details of the supplier of the technical information
 - Manufacturer/Supplier:

Rheinfelden Alloys GmbH & Co.KG Friedrichstraße 80 D-79618 Rheinfelden Tel.: +49 (0) 7623 - 93 0 www.rheinfelden-alloys.eu

Informing department:

REACH

Tel.: +49 (0) 7623 - 93 - 465 (Office hours: 08:30 - 15:30)

reach@rheinfelden-alloys.eu

• Emergency telephone number: Tel.: +49 (0) 7623 - 93 - 375 (24 Std.)

2 Hazards identification

- Classification of the substance or mixture
 - Classification according to Regulation (EC) No 1272/2008
 The product is not-classified in accordance with the CLP regulation
 - Classification according to Directive 67/548/EEC or Directive 1999/45/EC
 - Information concerning particular hazards for human and environment:

 The product has not to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.
 - Classifcation system:

The classification is in line with current EC lists.

- Label elements
 - Labelling according to Regulation (EC) No 1272/2008

The product is not labelled according to the CLP regulation..

- Other hazards:
 - Results of PBT- and vPvP-assessment:
 - PBT: Not applicable.
 - vPvP: Not applicable.

3 Composition/information on ingredients

- Chemical characterization: Mixtures
 - Description:

Mixture of the substances listed below including additives not requiring identification.

(Contd. on page 2)



Page: 2/5

Printing date: 10.11.2015 Version number 2 Revision: 10.11.2015

Trade name: Castadur-50 / AIZn5Mg

EINECS: 231-072-3 Reg.nr.: 01-211 952 9243-45-X CAS: 7440-66-6 EINECS: 231-175-3 Reg.nr.: 01-211 946 7174-37-X CAS: 7439-95-4 EINECS: 231-104-6 Reg.nr.: 01-211 953 7203-49-X CAS: 7419-90-5 EINECS: 231-072-3 Reg.nr.: 01-211 944 9803-34-X CAS: 7440-32-6 EINECS: 231-133-4 Reg.nr.: 01-211 948 4878-14-X Pyr. Sol. 1, H250; Water-react. 1, H260 Aqu. Chr. 1, H410 Magnesium Pyr. Sol. 1, H250; Water-react. 1, H260 Pyr. Sol. 1, H250; Water-react. 1, H260 Titanium Pyr. Sol. 1, H250; Water-react. 1, H260	mponents		
Reg.nr.: 01-211 952 9243-45-X Zinc 2,5 CAS: 7440-66-6 Ø Pyr. Sol. 1, H250; Water-react. 1, H260 2,5 EINECS: 231-175-3 Ø Aqu. Chr. 1, H410 Aqu. Chr. 1, H410 CAS: 7439-95-4 Magnesium < EINECS: 231-104-6 Ø Pyr. Sol. 1, H250; Water-react. 1, H260 Reg.nr.: 01-211 953 7203-49-X Manganese < CAS: 7419-90-5 Manganese < EINECS: 231-072-3 Ø Pyr. Sol. 1, H250; Water-react. 1, H260 Reg.nr.: 01-211 944 9803-34-X Titanium < CAS: 7440-32-6 Titanium < EINECS: 231-133-4 Ø Pyr. Sol. 1, H250 Reg.nr.: 01-211 948 4878-14-X Chromium < CAS: 7440-47-3 Chromium EINECS: 231-072-3 Aqu. Chr. 1, H400	7429-90-5	Aluminium	50-100%
CAS: 7440-66-6 Zinc EINECS: 231-175-3 ♠ Pyr. Sol. 1, H250; Water-react. 1, H260 Reg.nr.: 01-211 946 7174-37-X ♠ Aqu. Chr. 1, H410 CAS: 7439-95-4 Magnesium EINECS: 231-104-6 ♠ Pyr. Sol. 1, H250; Water-react. 1, H260 Reg.nr.: 01-211 953 7203-49-X Manganese CAS: 7419-90-5 Manganese EINECS: 231-072-3 ♠ Pyr. Sol. 1, H250; Water-react. 1, H260 Reg.nr.: 01-211 944 9803-34-X Titanium CAS: 7440-32-6 Titanium EINECS: 231-133-4 ♠ Pyr. Sol. 1, H250 Reg.nr.: 01-211 948 4878-14-X Chromium CAS: 7440-47-3 Chromium EINECS: 231-072-3 ♠ Aqu. Chr. 1, H400	S: 231-072-3	Pyr. Sol. 1, H250; Water-react. 2, H261	
EINECS: 231-175-3 Reg.nr.: 01-211 946 7174-37-X CAS: 7439-95-4 EINECS: 231-104-6 Reg.nr.: 01-211 953 7203-49-X CAS: 7419-90-5 EINECS: 231-072-3 Reg.nr.: 01-211 944 9803-34-X CAS: 7440-32-6 EINECS: 231-133-4 Reg.nr.: 01-211 948 4878-14-X CAS: 7440-47-3 EINECS: 231-072-3 ♠ Pyr. Sol. 1, H250; Water-react. 1, H260 Aqu. Chr. 1, H410 ✓ Pyr. Sol. 1, H250; Water-react. 1, H260 ← Pyr. Sol. 1, H250; Water-react. 1, H260 ← Pyr. Sol. 1, H250; Water-react. 1, H260 ← CAS: 7440-32-6 EINECS: 231-133-4 Reg.nr.: 01-211 948 4878-14-X CAS: 7440-47-3 EINECS: 231-072-3 ♠ Pyr. Sol. 1, H250 ← Pyr. Sol. 1, H250	∵: 01-211 952 9243-45-X		
Reg.nr.: 01-211 946 7174-37-X ♠ Aqu. Chr. 1, H410 CAS: 7439-95-4 Magnesium EINECS: 231-104-6 ♠ Pyr. Sol. 1, H250; Water-react. 1, H260 Reg.nr.: 01-211 953 7203-49-X Manganese CAS: 7419-90-5 Manganese EINECS: 231-072-3 ♠ Pyr. Sol. 1, H250; Water-react. 1, H260 Reg.nr.: 01-211 944 9803-34-X Titanium CAS: 7440-32-6 Titanium EINECS: 231-133-4 ♠ Pyr. Sol. 1, H250 Reg.nr.: 01-211 948 4878-14-X Chromium CAS: 7440-47-3 Chromium EINECS: 231-072-3 ♠ Aqu. Chr. 1, H400	7440-66-6	Zinc	2,5-7,5%
CAS: 7439-95-4 Magnesium <	S: 231-175-3	Pyr. Sol. 1, H250; Water-react. 1, H260	
EINECS: 231-104-6 Reg.nr.: 01-211 953 7203-49-X CAS: 7419-90-5 EINECS: 231-072-3 Reg.nr.: 01-211 944 9803-34-X CAS: 7440-32-6 EINECS: 231-133-4 Reg.nr.: 01-211 948 4878-14-X CAS: 7440-47-3 EINECS: 231-072-3 Pyr. Sol. 1, H250; Water-react. 1, H260 Pyr. Sol. 1, H250; Water-react. 1, H260 Pyr. Sol. 1, H250; Water-react. 1, H260 CAS: 7440-32-6 Fyr. Sol. 1, H250 Chromium Aqu. Chr. 1, H400	:: 01-211 946 7174-37-X	🕸 Aqu. Chr. 1, H410	
Reg.nr.: 01-211 953 7203-49-X Manganese <	7439-95-4	Magnesium	<1,0%
CAS: 7419-90-5 Manganese <	S: 231-104-6	Pyr. Sol. 1, H250; Water-react. 1, H260	
EINECS: 231-072-3 Reg.nr.: 01-211 944 9803-34-X CAS: 7440-32-6 EINECS: 231-133-4 Reg.nr.: 01-211 948 4878-14-X CAS: 7440-47-3 EINECS: 231-072-3 Pyr. Sol. 1, H250; Water-react. 1, H260 Pyr. Sol. 1, H250; Water-react. 1, H260 CAS: 7440-32-6 Pyr. Sol. 1, H250; Water-react. 1, H260 Chromium Aqu. Chr. 1, H400	:: 01-211 953 7203-49-X		
Reg.nr.: 01-211 944 9803-34-X CAS: 7440-32-6 Titanium <	7419-90-5	Manganese	<1,0%
CAS: 7440-32-6 Titanium <	S: 231-072-3	Pyr. Sol. 1, H250; Water-react. 1, H260	
EINECS: 231-133-4 Reg.nr.: 01-211 948 4878-14-X CAS: 7440-47-3 EINECS: 231-072-3 Pyr. Sol. 1, H250 Chromium Aqu. Chr. 1, H400	:: 01-211 944 9803-34-X		
Reg.nr.: 01-211 948 4878-14-X CAS: 7440-47-3 EINECS: 231-072-3 Chromium Aqu. Chr. 1, H400	7440-32-6	Titanium	<1,0%
CAS: 7440-47-3	S: 231-133-4	Pyr. Sol. 1, H250	
EINECS: 231-072-3			
V 1 ,			<1,0%
Reg.nr.: 01-211 948 5652-31-X		4 Aqu. Chr. 1, H400	
	∵: 01-211 948 5652-31-X		

• Additional information:

For the wording of the listed risk phrases refer to the appropriate lists. On request, the composition can also vary slightly, provided that no new product is created.

4 Firefighting measures

- Extinguishing media
 - Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
 - For safety reasons unsuitable extinguishing agents: Water.
- · Special hazards arising from the substance or mixture

Can be released in case of fire:

Metal oxides

- Advice for firefighters
 - Protective equipment:

Do not inhale explosion gases or combustion gases.

Wear self-contained breathing apparatus.



Page: 3/5

Printing date: 10.11.2015 Version number 2 Revision: 10.11.2015

Trade name: Castadur-50 / AIZn5Mg

(Contd. from page 2)

5 Handling and storage

- Handling:
 - Precautions for safe handling: Avoid contact with eyes and skin.
 - Information about protection against explosions and fires:
 - Dust can combine with air to form an explosive mixture.
 - Conditions for safe storage, including any incompatibilities
 - · Storage:
 - Requirements to be met by storerooms and containers: Protect from moisture.
 - Information about storage in one common storage facility:

Do not store together with acids.

Do not store together with alkalis (caustic solutions).

Store away from foodstuffs.

• Further information about storage conditions:

Not applicable

• Specific end use(s): No further relevant information available.

6 Physical and chemical properties

 Information on basic physical and chemical General Information 	properties
Appearance:	
• Form:	Solid
Colour:	Silver grey
Odour:	odourless
Odour threshold:	Not determind.
pH-value:	Not applicable.
Change in condition	
Melting point/Melting range:	555-655°C
Boiling point/Boiling range:	Not determind.
Flashpoint:	Not determind.
Inflammability (solid, gaseous):	Not determind.
Ignition temperature:	400°C
	Ignition temperature of dust form
Decomposition temperature:	Not determind.
Self-inflammability:	Product is not selfigniting.
Danger of explosion:	Product is not explosive.
Critical values for explosion:	
• Lower:	Not determind.
• Upper:	Not determind.
Vapour pressure	Not applicable.

(Contd. on page 4)



Page: 4/5

Printing date: 10.11.2015 Version number 2 Revision: 10.11.2015

Trade name: Castadur-50 / AlZn5Mg

	(Contd. From page 3)
Density at 20°C:	2,78 g/cm ³
Relative density	Not determind.
Vapour density	Not applicable.
Evaporation rate	Not applicable.
Solubility in/Miscibility with	
Water	Insoluble
Partitions coefficient (n-octanol/water):	Not determind.
Viskosity:	
dynamic:	Not applicable.
kinematic:	Not applicable.
Solvent content:	
Organic solvents:	0,0%.
Water:	0,0%.
Solids content:	100%.
Other information:	No further relevant information available.

7 Stability and reactivity

- Reactivity
 - Chemical stability
 - Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications. Avoid humidity.

• Possibility of hazardous reactions

Contact with water releases flammable gases.

Reacts with alkali (lyes).

Reacts with acids.

- Conditions to avoid No further relevant information available.
- Incompatible materials: Keine weiteren relevanten Informationen verfügbar.
- Hazardous decomposition products:

None in case of intended use and storage in compliance with instructions. Hydrogen.

8 Disposal considerations

- Waste treatment methods
 - Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

The waste code numbers mentioned are recommendations based on the probable use of the product.

(Contd. on page 5)



Page: 5/5

Printing date: 10.11.2015 Version number 2 Revision: 10.11.2015

Trade name: Castadur-50 / AIZn5Mg

(Contd. from	n page 4)
--------------	-----------

European waste catalogue		
06 00 00	WASTES FROM INORGANIC CHEMICAL PROCESSES	
06 04 00	metal-containing wastes other than those mentioned in 06 03	
06 04 05*	wastes containing other heavy metals	

Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

ΕN