

Printing date: 20.08.2015

Version number 2

Revision: 20.08.2015

1 Identification of the substance/mixture and of the company/ undertaking

- Product identifier
 - Trade name: HY418H / Peraluman-57 / AIMg5SiCu
 - *Relevant identified uses of the substance or mixture and uses advised against* No further relevant information available.
 - Application of the substance / the mixture Alloy
- Details of the supplier of the technical information
 - Manufacturer/Supplier: Rheinfelden Alloys GmbH & Co.KG Friedrichstraße 80 D-79618 Rheinfelden Tel.: +49 (0) 7623 - 93 0 www.rheinfelden-alloys.eu
 - Informing department: REACH Tel.: +49 (0) 7623 - 93 - 465 (Office hours: 08:30 - 15:30) reach@rheinfelden-alloys.eu
 - Emergency telephone number: Tel.: +49 (0) 7623 93 375 (24 Std.)

2 Hazards identification

- Classification of the substance or mixture
 - Classification according to Regulation (EC) No 1272/2008 The product is not-classified in accordance with the CLP regulation
 - Classification according to Directive 67/548/EEC or Directive 1999/45/EC
 - Information concerning particular hazards for human and environment: The product has not to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.
 - Classifcation system: The classification is in line with current EC lists.

• Label elements

- Labelling according to Regulation (EC) No 1272/2008 The product is not labelled according to the CLP regulation..
- Other hazards:
 - Results of PBT- and vPvP-assessment:
 - PBT: Not applicable.
 - vPvP: Not applicable.

3 Composition/information on ingredients

- Chemical characterization: Mixtures
 - Description:

Mixture of the substances listed below including additives not requiring identification.

(Contd. on page 2)



Page: 2/5

Printing date: 20.08.2015

Version number 2

Revision: 20.08.2015

Trade name: HY418H / Peraluman-57 / AlMg5SiCu

EINECS: 231-104-6 Image: Constraint of the system Reg.nr.: 01-211 953 7203-49-X Image: Constraint of the system CAS: 7440-21-3 S EINECS: 231-130-8 Image: Constraint of the system Reg.nr.: 01-211 948 0401-47-X Image: Constraint of the system CAS: 7440-02-0 Image: Constraint of the system EINECS: 231-111-4 S Reg.nr.: - Image: Constraint of the system CAS: 7419-90-5 Image: Constraint of the system EINECS: 231-072-3 Image: Constraint of the system Reg.nr.: 01-211 944 9803-34-X Image: Constraint of the system	agnesium > Pyr. Sol. 1, H250; Water-react. 1, H260	<2,5-7,5% <2,5% <1,0%
CAS: 7439-95-4 M EINECS: 231-104-6 Image: Constraint of the system of the s	agnesium Pyr. Sol. 1, H250; Water-react. 1, H260 licon Flam. Sol. 2, H228 opper toff, für den ein gemeinschaftlicher	<2,5%
EINECS: 231-104-6 Image: Constraint of the system Reg.nr.: 01-211 953 7203-49-X Image: Constraint of the system CAS: 7440-21-3 S EINECS: 231-130-8 Image: Constraint of the system Reg.nr.: 01-211 948 0401-47-X Image: Constraint of the system CAS: 7440-02-0 C EINECS: 231-111-4 S Reg.nr.: - G CAS: 7419-90-5 Image: Constraint of the system EINECS: 231-072-3 Image: Constraint of the system Reg.nr.: 01-211 944 9803-34-X Image: Constraint of the system	 Pyr. Sol. 1, H250; Water-react. 1, H260 licon Flam. Sol. 2, H228 opper toff, für den ein gemeinschaftlicher 	<2,5%
Reg.nr.: 01-211 953 7203-49-X CAS: 7440-21-3 S EINECS: 231-130-8 Image: Comparison of the compariso	licon Flam. Sol. 2, H228 opper toff, für den ein gemeinschaftlicher	
CAS: 7440-21-3 S EINECS: 231-130-8 Image: Comparison of the c	 Flam. Sol. 2, H228 opper toff, für den ein gemeinschaftlicher 	
EINECS: 231-130-8 Image: Constraint of the system Reg.nr.: 01-211 948 0401-47-X Image: Constraint of the system CAS: 7440-02-0 Image: Constraint of the system EINECS: 231-111-4 Image: Constraint of the system Reg.nr.: - Image: Constraint of the system CAS: 7419-90-5 Image: Constraint of the system EINECS: 231-072-3 Image: Constraint of the system Reg.nr.: 01-211 944 9803-34-X Image: Constraint of the system	 Flam. Sol. 2, H228 opper toff, für den ein gemeinschaftlicher 	
Reg.nr.: 01-211 948 0401-47-X CAS: 7440-02-0 C EINECS: 231-111-4 S Reg.nr.: - G CAS: 7419-90-5 M EINECS: 231-072-3 K Reg.nr.: 01-211 944 9803-34-X S	opper toff, für den ein gemeinschaftlicher	<1,0%
CAS: 7440-02-0 C EINECS: 231-111-4 S Reg.nr.: - G CAS: 7419-90-5 M EINECS: 231-072-3 K Reg.nr.: 01-211 944 9803-34-X K	toff, für den ein gemeinschaftlicher	<1,0%
EINECS: 231-111-4 S Reg.nr.: - G CAS: 7419-90-5 M EINECS: 231-072-3 K Reg.nr.: 01-211 944 9803-34-X K	toff, für den ein gemeinschaftlicher	<1,0%
Reg.nr.: - G CAS: 7419-90-5 M EINECS: 231-072-3 K Reg.nr.: 01-211 944 9803-34-X K	-	
CAS: 7419-90-5 M EINECS: 231-072-3 Reg.nr.: 01-211 944 9803-34-X	renzwert für die Exposition am Arbeitsplatz gilt	
EINECS: 231-072-3 Reg.nr.: 01-211 944 9803-34-X	renzwert für die Exposition am Arbeitsplatz gitt	
Reg.nr.: 01-211 944 9803-34-X	anganese	<1,0%
-	Pyr. Sol. 1, H250; Water-react. 1, H260	
CAS: 7440-41-7 B		
	eryllium	<1,0%
EINECS: 231-150-7		
Reg.nr.: 01-211 952 9243-45-X C	arc. 1B, H350i	
	ye Irrit. 2, H319; STOT SE 1, H335; STOT	
R	E 1, H372	

Additional information:

For the wording of the listed risk phrases refer to the appropriate lists. On request, the composition can also vary slightly, provided that no new product is created.

4 Firefighting measures

- Extinguishing media
 - Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
 - For safety reasons unsuitable extinguishing agents: Water.
- Special hazards arising from the substance or mixture Can be released in case of fire: Metal oxides
- Advice for firefighters
 - *Protective equipment:* Do not inhale explosion gases or combustion gases. Wear self-contained breathing apparatus.



Printing date: 20.08.2015

Version number 2

Revision: 20.08.2015

Trade name: HY418H / Peraluman-57 / AIMg5SiCu

	(Contd. from page 2)
5 Handling and storage	
Handling:	
Precautions for safe handling:	
Avoid contact with eyes and skin.	
 Information about protection against explosions and fires: 	
Dust can combine with air to form an explosive mixture.	
Conditions for safe storage, including any incompatibilities	
Storage:	· · · ·
Requirements to be met by storerooms and containers: Protect	from moisture.
 Information about storage in one common storage facility: 	
Do not store together with acids. Do not store together with alkalis (caustic solutions).	
Store away from foodstuffs.	
Further information about storage conditions:	
Not applicable	
• Specific end use(s): No further relevant information available.	
Physical and chemical properties	
Information on basic physical and chemical properties	
General Information	
Appearance: Solid	

Appearance:	
• Form:	Solid
Colour:	Silver grey
Odour:	odourless
Odour threshold:	Not determind.
• pH-value:	Not applicable.
Change in condition	
 Melting point/Melting range: 	545-645°C
 Boiling point/Boiling range: 	Not determind.
• Flashpoint:	Not determind.
Inflammability (solid, gaseous):	Not determind.
Ignition temperature:	400°C
	Ignition temperature of dust form
Decomposition temperature:	Not determind.
Self-inflammability:	Product is not selfigniting.
Danger of explosion:	Product is not explosive.
Critical values for explosion:	
• Lower:	Not determind.
• Upper:	Not determind.
Vapour pressure	Not applicable.
	(Contd. on page



Page: 4/5

Printing date: 20.08.2015

Version number 2

Revision: 20.08.2015

Trade name: HY418H / Peraluman-57 / AlMg5SiCu

Density at 20°C: Delative density	2,64 g/cm ³ Not determind.
Relative density	
Vapour density Evaporation rate	Not applicable. Not applicable.
Evaporation rate	Not applicable.
Solubility in/Miscibility with	
Water	Insoluble
Partitions coefficient (n-octanol/water):	Not determind.
• Viskosity:	
• dynamic:	Not applicable.
kinematic:	Not applicable.
Solvent content:	
Organic solvents:	0,0%.
Water:	0,0%.
Solids content:	100%.
Other information:	No further relevant information available.

7 Stability and reactivity

Reactivity

- Chemical stability
 - Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. Avoid humidity.
- **Possibility of hazardous reactions** Contact with water releases flammable gases. Reacts with alkali (lyes). Reacts with acids.
- Conditions to avoid No further relevant information available.
- Incompatible materials: Keine weiteren relevanten Informationen verfügbar.
- *Hazardous decomposition products:* None in case of intended use and storage in compliance with instructions. Hydrogen.

8 Disposal considerations

- Waste treatment methods
 - Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

The waste code numbers mentioned are recommendations based on the probable use of the product.

(Contd. on page 5)



Page: 5/5

Printing date: 20.08.2015

Version number 2

Revision: 20.08.2015

Trade name: HY418H / Peraluman-57 / AlMg5SiCu

	aste catalogue	(Contd. from page 4
•		
06 00 00	WASTES FROM INORGANIC CHEMICAL PROCESSES	
06 04 00	metal-containing wastes other than those mentioned in 06 03	
06 04 05*	wastes containing other heavy metals	

• *Recommendation:* Disposal must be made according to official regulations.

- EN